

**ASSAM PROJECT  
ON  
FOREST AND BIO-DIVERSITY CONSERVATION**

CONSTRUCTION OF PROPOSED NEW RESIDENTIAL COMPLEX  
– AT REHABARI, GUWAHATI - 781 008.

**BILL OF QUANTITIES FOR  
INSTALLATION OF DEEP BORE WELL**

Sl. No.	Specification of item of works	Unit	Quantities	Rate in Rs.		Amount (in Rs.)
				(in Figures)	(in Words)	
1	Preparation of site for placement of the DTH rig including excavation of mud pit, circulation drain, collection chamber etc. all complete as directed.	Each DTH	1.00			
2	Movement of DTH/ Compressor Rig to work site and back including cost of P.O.L. all complete as directed.	K.M.	70.00			
3	Transportation of all ancillary equipment, camp materials, welding set, rig accessories etc. including cost of P.O.L. all complete as directed. (a) For less than 100 M.	K.M.	70.00			

Sl. No.	Specification of item of works	Unit	Quantities	Rate in Rs.		Amount (in Rs.)
				(in Figures)	(in Words)	
4	Transportation of all store materials like pipes, stainer, cone, socket, clamp, bentonite etc. including cost of P.O.L. all complete as directed. (a) For less than 100 M.	K.M.	70.00			
5	Supplying, providing of MS casing pipe ERW of reputed and approved make screwed and socketed /plain ended and painting outside surface (including all accessories) with two coats of anticorrosive paint of approved brand as per the direction of engineer incharge I. M. S. Pipe (a) 200 MM. Dia. Of 8mm thickness	R.M.	80.00			
	(b) 150 MM. Dia. Of 8mm thickness	R.M.	150.00			

Sl. No.	Specification of item of works	Unit	Quantities	Rate in Rs.		Amount (in Rs.)
				(in Figures)	(in Words)	
6	<p><b>Piping</b></p> <p>Supplying fitting and fixing G.I. Pipes of following sizes, with all necessary 'R' brand or similar approved G.I. Fittings such as bend, tee, elbow, reducer, nipple, plug, long screw fitting, H.W. clamps etc.complete at all levels including below G.L./ The Deep tube well as directed and specified.</p> <p><b>(A) Exposed on walls</b></p> <p>a) 40 mm dia (Medium)</p> <p>i) Using Tata make</p>	R.M.	350.00			
7	<p>Drilling of bore hole by DTH rig (diameter varies from 350 mm to 175mm) including collecting samples from different strata, preparing and submitting strata chart / bore log etc. (In any kind of strata (both upper and lower) including rock, boulder etc. complete as per direction of Engineer -in-charge.</p>	R.M.	400.00			
8	<p>Developing and washing by air compressor as per standard specification /direction of Engineer -in-charge.</p>	Job	1			

Sl. No.	Specification of item of works	Unit	Quantities	Rate in Rs.		Amount (in Rs.)
				(in Figures)	(in Words)	
9	Supplying and providing PVC pipe of approved quality as per the direction of engineer incharge PVC Pipe 300 MM. Dia.	R.M.	12.00			
					<b>Total = Rs.</b>	

(Rupees

Signature of the Contractor :

Date & Seal :